

Name of the Student: _____

Max. Marks : 20 Marks

Time : 20 Minutes


Q1.

A simple pendulum performs oscillations of period T in a vertical plane.

Figure 1 shows views of the pendulum at the equilibrium position and at the instant of release.

Figure 1 also shows a rectangular card marked with a vertical line.

Figure 1




- (a) The card can be used as a fiducial mark to reduce uncertainty in the measurement of T .

Annotate **Figure 1** to show a suitable position for the fiducial mark. Explain why you chose this position.

- (b) The period of the pendulum is constant for small-amplitude oscillations. **Figure 2** shows an arrangement used to determine the maximum amplitude that can be considered to be small, by investigating how T varies with amplitude.


Figure 2



Describe a suitable procedure to determine A_R , the amplitude of the pendulum as it is released. You may add detail to **Figure 2** to illustrate your answer.

- (c) **Figure 3** shows some of the results of the experiment.

Figure 3



Estimate, using **Figure 3**, the expected percentage increase in T when A_R increases from 0.35 m to 0.70 m.
Show your working.

percentage increase = _____ %

(3)

In another experiment the pendulum is released from a fixed amplitude.
The amplitudes A_n of successive oscillations are recorded, where $n = 1, 2, 3, 4, 5 \dots$.

Table 1 shows six sets of readings for the amplitude A_5 .

Table 1

| A_5 / m | 0.217 | 0.247 | 0.225 | 0.223 | 0.218 | 0.224 |
|------------------|-------|-------|-------|-------|-------|-------|
|------------------|-------|-------|-------|-------|-------|-------|

(d) Determine the result that should be recorded for A_5 .

Go on to calculate the percentage uncertainty in this result.

$$A_5 = \text{_____ m}$$

$$\text{percentage uncertainty} = \text{_____ \%}$$

(3)

- (e) **Table 2** shows results for A_n and the corresponding value of $\ln(A_n / m)$ for certain values of n .

Table 2

| n | A_n / m | $\ln(A_n / m)$ |
|-----|-----------|----------------|
| 2 | 0.238 | -1.435 |
| 4 | 0.225 | |
| 7 | 0.212 | -1.551 |
| 10 | 0.194 | -1.640 |
| 13 | 0.183 | -1.698 |


Complete **Table 2**.

(1)

- (f) Plot on **Figure 4** a graph of $\ln(A_n / m)$ against n .

Figure 4

$\ln(A_n / \text{m})$



(g) It can be shown that

$$A_n = A_0 \delta^{-n}$$

where A_0 is the amplitude of release of the pendulum
 δ is a constant called the damping factor.


Explain how to find δ from your graph.
You are **not** required to determine δ .

(2)
(Total 15 marks)

Q2.

A loudspeaker cone is driven by a signal generator (oscillator).

The graph shows the variation of displacement with time t for a point **P** at the centre of the cone. **P** is oscillating with simple harmonic motion.



- (a) State the time, in milliseconds, when **P** is moving at its maximum positive velocity.

time = _____ ms

(1)

- (b) Calculate the maximum acceleration of **P**.

acceleration = _____ m s^{-2}

(3)

- (c) The loudspeaker creates variations in pressure and produces a sound wave in the air around it.
State the type of wave produced and describe the motion of the particles in this type of wave.

(1)
(Total 5 marks)