Practice Question Set For GCSE

**Subject: Physics** 





Max. Ma	rks : 20 Marks	Time : 20 Minutes
Q1.		
	figure below shows a coil and a magnet. An ammeter is connected to the coil	
	Coil Magnet	
	Ammeter	
	ammeter has a centre zero scale, so that values of current going in either direction can be measured.	ection through the
(a)	A teacher moves the magnet slowly towards the coil.	
, ,	Explain why there is a reading on the ammeter.	
	<del></del>	

(b) The table below shows some other actions taken by the teacher.

Complete the table to show the effect of each action on the ammeter reading.

Action taken by teacher	What happens to the ammeter reading?
Holds the magnet stationary and moves the coil slowly towards the magnet	
Holds the magnet stationary within the coil	
Moves the magnet quickly towards the coil	
Reverses the magnet and moves it slowly towards the coil	

<i>(</i> )	<b>T</b>				
(C)	The magnet moves so	that there is a stead	v reading of 0.05 A	A on the ammeter to	r 6 seconds
( )	magnot mores ou	mat more le a cieaa	,g c. c.cc ,	t off the arminotor to	

Calculate the charge that flows through the coil during the 6 seconds.


Charge = \_\_\_\_\_

(Total 13 marks)

(3)

(4)

Q2.


A student is investigating the strength of electromagnets.

**Figure 1** shows three electromagnets.

Give the unit.

The student hung a line of paper clips from each electromagnet.

Figure 1



No more paper clips can be hung from the bottom of each line of paper clips.

- (a) (i) Complete the conclusion that the student should make from this investigation.

  Increasing the number of turns of wire wrapped around the nail will

  \_\_\_\_\_\_ the strength of the electromagnet.

  (1)

  (ii) Which two pairs of electromagnets should be compared to make this conclusion?

  Pair 1: Electromagnets \_\_\_\_\_\_ and \_\_\_\_\_


  Pair 2: Electromagnets \_\_\_\_\_\_ and \_\_\_\_\_

  (1)

  (iii) Suggest two variables that the student should control in this investigation.

  1. \_\_\_\_\_\_
- (b) The cell in electromagnet **A** is swapped around to make the current flow in the opposite direction. This is shown in **Figure 2**.

Figure 2



What is the maximum number of paper clips that can now be hung in a line from this electromagnet?

Draw a ring around the correct answer.

(2)

Electromagnet A	A is changed to have only 10 turns of wire wrapped around the nail.
	kimum number of paper clips that could be hung in a line from the end of this

more than 4

fewer than 4 4